





71CJ12W

Hartland CFX Polished Brass 1 gang RJ12 Outlet - Unshielded White

Item Image	Wiring	Dimensions																											
	<p>Datcom Module Rear View RJ11 / 12 Socket Rear View</p>  <p>Cable tie anchor</p> <p>View of Transparent Cover</p>  <p>RJ11 / 12 Wiring Colour Codes:</p> <table border="1"> <tr> <td>1</td><td>GREEN / White</td><td>NOT USED</td></tr> <tr> <td>2</td><td>ORANGE / White</td><td>NOT USED</td></tr> <tr> <td>3</td><td>WHITE / Blue</td><td>BLUE</td></tr> <tr> <td>4</td><td>BLUE / White</td><td>YELLOW</td></tr> <tr> <td>5</td><td>WHITE / Green</td><td>GREEN</td></tr> <tr> <td>6</td><td>WHITE / Orange</td><td>RED</td></tr> <tr> <td>7</td><td>WHITE / Brown</td><td>BLACK</td></tr> <tr> <td>8</td><td>NOT USED</td><td>WHITE</td></tr> <tr> <td>9</td><td>NOT USED</td><td>NOT USED</td></tr> </table> <p>Main Wire Colour shown in CAPITALS</p>	1	GREEN / White	NOT USED	2	ORANGE / White	NOT USED	3	WHITE / Blue	BLUE	4	BLUE / White	YELLOW	5	WHITE / Green	GREEN	6	WHITE / Orange	RED	7	WHITE / Brown	BLACK	8	NOT USED	WHITE	9	NOT USED	NOT USED	<p>Hamilton® HARTLAND CFX J12 1 gang RJ12 Outlet Unshielded 6 wire</p> 
1	GREEN / White	NOT USED																											
2	ORANGE / White	NOT USED																											
3	WHITE / Blue	BLUE																											
4	BLUE / White	YELLOW																											
5	WHITE / Green	GREEN																											
6	WHITE / Orange	RED																											
7	WHITE / Brown	BLACK																											
8	NOT USED	WHITE																											
9	NOT USED	NOT USED																											
Primary Range	Hartland CFX																												
Insert Type	1 gang RJ12 Outlet - Unshielded																												
Plate Finish	Hartland CFX Polished Brass																												
Insert Colour	White																												
EAN13 Barcode	5017504240554																												
Commodity Code	85176990																												
Luckins TSI	388235827																												
ETIM Class	EC001264																												
Dimensions (Nominal)	Single: Height = 86.0mm Width = 86.0mm Depth = 5.0mm																												
Fixing Hole Centres	Box Fixing = 60.3mm Grid Fixing = CFX Clips																												
Minimum Wall Box Depth	35mm																												
Switched Poles	N/A																												
Current Rating	n/a																												
IP Rating	IP2XD																												
Contact Gap Minimum	N/A																												
Earth Terminal Capacity 1	5x1mm²																												
Earth Terminal Capacity 2	4 x 1.5mm²																												
Earth Terminal Capacity 3	3 x 2.5mm²																												
Earth Terminal Capacity 4	1 x 4mm² Multi-strand																												
Earth Terminal Capacity 5	1 x 6mm²																												
Product Class 1	Must be earthed (ref BS7671 415.2.1)																												
Ambient Operating Temperature	-5° to +40°C																												
Recommended Location	Internal Use Only																												
Maximum Installation Altitude	2000m																												
Standard/Approval	N/A																												
EuroFix Additional Notes	Can be used as either RJ11 (4 wires) or RJ12 (6 wires)																												
Patents and Trademarks	CFX is a Registered Trade Mark No 2398667 Hartland CFX is a Registered Design under Reference Nos. R21 = 3023446 SS2 = 3023445																												
All products listed conform to current British or European standard and the product information is correct at the time of going to press.	All accessories are manufactured under an accredited BS EN ISO 9001 : 2015 Quality Management System.																												
It is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.	Due to manufacturing processes we cannot guarantee an exact colour match and shadings of certain finishes.																												
Illustrations and diagrams are reproduced within the limitations of reproduction and printing process and are not binding.	Correct as at 05 July 2022 08:50 AM E&OE																												